


CUT The Dividers Catalog Vol.3



Contents

Pattern Design and Regular Size	01
cut101d forty-five	02
cut102d samidare	05
cut103d sasame-koshi	08
cut104d doublin	11
cut105d enigma	14
cut106d komorebi	17
Fabric Options and Specification	20
Installation Accessory	21
Contacts	22

Pattern Design and Regular Size

cut101d | forty-five



1000 x 2200mm




1500 x 2200mm




2000 x 2200mm


cut102d | samidare



1000 x 2200mm




1500 x 2200mm




2000 x 2200mm


cut103d | sasame-koshi



1000 x 2200mm




1500 x 2200mm




2000 x 2200mm


cut104d | doublin



1000 x 2200mm




1500 x 2200mm




2000 x 2200mm


cut105d | enigma



1000 x 2200mm



1500 x 2200mm



2000 x 2200mm

cut106d | komorebi



1000 x 2200mm



1500 x 2200mm



2000 x 2200mm

cut101d forty-five





cut102d samidare





cut103d sasame-koshi







cut104d doublin





cut105d enigma








cut106d komorebi





CUT “The Divider Series” Fabric Options ans Specification




Fabric Name	Colors	Maximum Width (mm)	Material	Weight (g/m ²)
Gemini	Black Dark Brown Beige	2000	100% Polyester	470
Harmony	Black Warm Grey	2000		237

* All our fabrics have passed the flammability certification in Japan
* Class1/A with FSI(Flame-Spread Index) and SDI(Smoke Development Index) in ASTM E 84 Testing

Installation Accessory

Velcro Unit

CUT Japan Original Design Unit




Also Included

1. Screw (Large)



Cable Unit

CUT Japan Original Design Unit




Also Included

1. Screw (Small)




2. Screen stopper



Sliding Unit

CUT Japan Original Design Unit




Also Included

1. Screw (Small)




2. Screen stopper



Sliding Rail

CUT Japan Sliding Rail



Also Included

1. Screw (Large)



2. Screen stopper



*connecting rails for wide length

Notes:

① Maximum length of sliding rail is 2400mm. Multiple rails are to be jointed for over 2400mm.

② Sliding system needs both sliding unit and rail.

③ forty-five, samidare are not suitable for sliding system. sasame-koshi may be not suitable for sliding system depends on size or operating conditions. Please contact and consult us for sliding festure.

CONTACTS:

CUT Direction Co.,Ltd.

219/2, 2nd Floor, Asoke Towers Building, Sukhumvit 21 Road (Soi Asoke), North Khlongtoey, Wattana, Bangkok 10110 Thailand

t: +662 120 9428 email: nfo@cut-direction.global www.cut-direction.global